

THCA Badder

Lab ID: 240508-732-TEDA-4

METRC Batch: ; METRC Sample:
Sample ID: 2405PHS0674.2459
Strain: THCA Badder
Matrix: Concentrates & Extracts
Type: Batter/Badder
Sample Size: ; Batch:

Produced:
Collected:
Received:
Completed: 05/09/2024
Batch#:



Summary

Test
Cannabinoids

Date Tested
05/09/2024

Result
Pass

Cannabinoids

Pass

| | | |
|-----------|-----------|--------------------|
| 41.160% | 45.006% | 86.716% |
| Total THC | Total CBD | Total Cannabinoids |

| Analyte | LOD | LOQ | Results | Results |
|------------------|------|------|---------|---------|
| | mg/g | mg/g | % | mg/g |
| THCa | 0.01 | 0.01 | 44.609 | 446.09 |
| Δ9-THC | 0.01 | 0.01 | 2.038 | 20.38 |
| Δ8-THC | 0.01 | 0.01 | ND | ND |
| THCVa | 0.01 | 0.10 | 0.229 | 2.29 |
| THCV | 0.01 | 0.10 | ND | ND |
| CBDa | 0.01 | 0.01 | ND | ND |
| CBD | 0.01 | 0.01 | 45.006 | 450.06 |
| CBDVa | 0.01 | 0.10 | ND | ND |
| CBDV | 0.01 | 0.10 | ND | ND |
| CBN | 0.01 | 0.10 | ND | ND |
| CBGa | 0.01 | 0.10 | 0.398 | 3.98 |
| CBG | 0.01 | 0.10 | ND | ND |
| CBC | 0.01 | 0.10 | ND | ND |
| (6aR,9S)-d10-THC | 0.01 | 0.01 | ND | ND |
| (6aR,9R)-d10-THC | 0.01 | 0.01 | ND | ND |
| Total THC | | | 41.160 | 411.600 |
| Total CBD | | | 45.006 | 450.060 |
| Total | | | 92.280 | 922.80 |

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD.
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeledj

Raquel Keledjian
Lab Director
05/09/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian